

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	27	((719/313).CCLS.) and remote near2 procedure	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L2	2	("6253252").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L3	149	(rpc or (remote near2 call)) same (callback or call adj back) and queue	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L4	407	(719/313).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L5	265	(719/313).CCLS	USPAT; USOCR	OR	OFF	2005/01/03 15:39
L6	16	(rpc or (remote near2 call)) same (callback or call adj back) and (((719/330).CCLS.) or ((719/315).CCLS.) or ((719/313).CCLS.) or ((719/314).CCLS.))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L7	1503	((719/330).CCLS.) or ((719/315).CCLS.) or ((719/313).CCLS.) or ((719/314).CCLS.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L8	119	(719/314).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L9	16	"5848234".URPN.	USPAT	OR	ON	2005/01/03 15:39
L10	760	(719/315).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L11	335	(719/330).CCLS	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L12	11	asynchronous with (rpc or remote adj2 procedure) same message near queue	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L13	31	asynchronous with (rpc or remote adj2 procedure) same queue	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39

L14	2	object near orient\$3 with rpc and sue near lao	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L15	1	((brandle).in.) and queue	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L16	156	(brandle).in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L17	2	("6253252").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L18	13	((schofield).in.) and proxy	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L19	1497	(schofield).in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L20	2	("5481721"   "5822563").PN.	USPAT	OR	ON	2005/01/03 15:39
L21	2	("5481721"   "5822563").PN.	USPAT	OR	ON	2005/01/03 15:39
L22	9	"6253252".URPN.	USPAT	OR	ON	2005/01/03 15:39
L23	17	(rpc or (remote near2 call)) same (callback or call adj back) same queue	USPAT	OR	ON	2005/01/03 15:39
L24	114	(rpc or (remote near2 call)) same (callback or call adj back) and queue	USPAT	OR	ON	2005/01/03 15:39
L25	2	(rpc or (remote near2 call)) same (callback or call adj back) adj object	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L26	3	("6567861").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L27	9	("5218713"   "5247676"   "5307490"   "5457797"   "5481721"   "5822585"   "5960087"   "6157960"   "6173327").PN.	USPAT	OR	ON	2005/01/03 15:39
L28	3	"6567861".URPN.	USPAT	OR	ON	2005/01/03 15:39
L29	9	("5218713"   "5247676"   "5307490"   "5457797"   "5481721"   "5822585"   "5960087"   "6157960"   "6173327").PN.	USPAT	OR	ON	2005/01/03 15:39
L30	2	("6253256").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L31	1	result adj object same remote near2 procedure	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39

L32	16	(asynchronous\$3 or queue\$4) with (rpc or (remote adj procedure)) same (proxy or stub)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L33	259	rpc same record\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L34	3	rpc same record\$3 same queue	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L35	16	"5848234".URPN.	USPAT	OR	ON	2005/01/03 15:39
L36	9	"6253252".URPN.	USPAT	OR	ON	2005/01/03 15:39
L37	2	("5481721"   "5822563").PN.	USPAT	OR	ON	2005/01/03 15:39
L38	55	(asynchronous\$3) adj2 (rpc or (remote adj procedure))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L39	2	(asynchronous\$3) adj2 (rpc or (remote adj procedure)) same (proxy or stub)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L40	52	(asynchronous\$3) adj (rpc or (remote adj procedure))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L41	2	("6425017").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L42	12	((("5519863") or ("5872976") or ("5991536") or ("6182119") or ("6393458") or ("6609128"))).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L43	6	((("5519863") or ("5872976") or ("5991536") or ("6182119") or ("6393458") or ("6609128"))).PN.	USPAT; USOCR	OR	OFF	2005/01/03 15:39
L44	23	remote adj method adj invocation same queue	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L45	2	("6425017").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L46	2	("5574918").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39

L47	2	("5933593").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L48	1	("5913061").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L49	8	queue\$3 adj method adj invocation	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L50	18	(result or queue or buffer) adj object near3 (marshal\$4 or serial\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L51	713	(marshal\$4 or serial\$5) adj (result or queue or buffer)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L52	34	(marshal\$4 or serial\$5) adj (result or queue or buffer) with message	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L53	9	(result or queue or buffer) adj object with message same (marshal\$4 or serial\$5)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L54	33	pass\$3 adj object near parameter	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L55	0	pass\$3 adj result adj object near parameter	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L56	1	result adj object near2 pass\$3 near parameter same message	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L57	1	result adj object near2 pass\$3 near parameter	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L58	1	result adj object with pass\$3 near parameter same message	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L59	12	proxy adj pair	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39

L60	51	moniker adj object	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L61	14	serial\$5 with moniker	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L62	3	marshal\$4 with moniker	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L63	22	microsoft adj transaction adj server and marshal\$4 same proxy	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L64	137	microsoft adj message adj queue	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L65	304	microsoft adj transaction adj server	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L66	47	ipersiststream	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L67	1	ipersist adj stream	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L68	47	ipersiststream	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L69	0	ipersistance adj stream	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L70	0	persistance adj stream	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L71	695	stream\$3 same (com or dcom)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L72	3	stream\$3 same (com or dcom) and marshal\$4 with proxy	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39

L73	17	marshal\$4 adj proxy	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L74	0	stream\$3 same (com or dcom) and marshal\$4 adj buffer	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L75	0	stream\$3 same (com or dcom) and marshal\$4 adj recorder	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L76	0	stream\$3 same (com or dcom) and marshal\$4 adj proxy	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L77	0	stream\$3 same (com or dcom) same marshal\$4 adj proxy	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L78	35	travis.in. and ((709/???).CCLS.)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L79	33167	(709/???).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L80	2278	travis.in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L81	25	priven.in.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L82	2	("6425017").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L83	7	"6425017".URPN.	USPAT	OR	ON	2005/01/03 15:39
L84	26	((("5455953") or ("5151987") or ("5133075") or ("5125091") or ("5119475") or ("5093914") or ("5485617") or ("5377350") or ("4677576") or ("4800488") or ("4635208") or ("4972437") or ("5301280") or ("5481715") or ("4821220") or ("4953080") or ("5504898") or ("5168441") or ("5307490") or ("5870605") or ("5887171") or ("5442791") or ("5463625") or ("5560029") or ("5315703") or ("5210874"))).PN.	USPAT; USOCR; IBM_TDB	OR	OFF	2005/01/03 15:39

L85	65	("4635208"   "4677576"   "4800488"   "4821220"   "4953080"   "4972437"   "5093914"   "5119475"   "5125091"   "5133075"   "5151987"   "5168441"   "5210874"   "5212793"   "5301280"   "5307490"   "5315703"   "5442791"   "5455953"   "5463625"   "5481715"   "5485617"   "5504898"   "5511197"   "5517645"   "5519867"   "5560029"   "5574862"   "5574918"   "5577251"   "5577252"   "5581686"   "5581760"   "5598562"   "5606719"   "5619710"   "5625775"   "5652888"   "5675796"   "5687370"   "5689708"   "5764897"   "5787251"   "5787281"   "5790789"   "5794038"   "5802291"   "5822585"   "5838916"   "5857197"   "5857201"   "5864669"   "5884316"   "5889942"   "5889957"   "5907675"   "5913061"   "5933593"   "5958004"   "5958010"   "6026428"   "6061796"   "6094688"   "6105147"   "6134594").PN.	USPAT	OR	ON	2005/01/03 15:39
L86	4	((("6425017") or ("6442620")).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L87	3	ep adj "623876"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L88	5	("5398334"   "5794256"   "5999987"   "6031995"   "6105041").PN.	USPAT	OR	ON	2005/01/03 15:39
L89	3	"6345276".URPN.	USPAT	OR	ON	2005/01/03 15:39
L90	5	"6345276"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L91	9	("5218699"   "5307490"   "5321841"   "5430876"   "5434995"   "5446901"   "5491800"   "5497463"   "5511197").PN.	USPAT	OR	ON	2005/01/03 15:39
L92	9	((("5345588") or ("5613114") or ("5619710") or ("5715450") or ("5729710") or ("5752031") or ("5764915") or ("5765157") or ("5805886")).PN.	USPAT; USOCR	OR	OFF	2005/01/03 15:39
L93	2	("6463480").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L94	69	spawn\$3 near thread same message	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L95	2	("6463480").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L96	0	((709/330).CCLS.) and creat\$3 adj thread	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L97	0	(709/330).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L98	14	rpc with queue same message same thread	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39



L99	4	((("6182108") or ("6463480"))).PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L100	13	"6182108".URPN.	USPAT	OR	ON	2005/01/03 15:39
L101	2	("5835779").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 15:39
L102	77	creat\$3 near thread same message same (buffer or queue or mailbox)	USPAT	OR	ON	2005/01/03 15:39
L103	138	creat\$3 near thread same message same (buffer or queue or mailbox)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L104	3	((("6415332") or ("6412018") or ("6385659") or ("6415332"))).PN	USPAT; USOCR	OR	OFF	2005/01/03 15:39
L105	14	("5327558"   "5357612"   "5359317"   "5404449"   "5479598"   "5544051"   "5557798"   "5560004"   "5812844"   "6009488"   "6012121"   "6038604"   "6256660"   "6125399").PN.	USPAT	OR	ON	2005/01/03 15:39
L106	5	"6415332"	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L107	35	chain\$3 near (call or reference) same distribut\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L108	3	nest\$3 near (call or reference) same distribut\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L109	13	chain\$3 adj (call or reference) same distribut\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L110	3	result adj object same proxy same distribut\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L111	4208	result adj object	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L112	2	result with (com or dcom or bean) same distribut\$3 same message	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L113	111	queue adj component	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39



L114	4	result adj (queue or buffer) same distribut\$3 same message	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L115	2	object adj reference same queue\$3 adj messag\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 15:39
L134	407	(719/313).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:08
L135	760	(719/315).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:08
L136	363	(719/316).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:08
L137	164	(719/317).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/01/03 17:08
L138	44	134 and (queue\$3 with method)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 17:08
L139	54	135 and (queue\$3 with method)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 17:08
L140	25	136 and (queue\$3 with method)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 17:09
L141	10	137 and (queue\$3 with method)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 17:09

Find: Searching for **method invocation and persistence**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Googl](#) [\(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

167 documents found. Order: number of citations.

[A Metaobject Protocol for C++ - Chiba \(1995\) \(Correct\) \(118 citations\)](#)

Ject System Are Executed Through Runtime **Method Invocation** Of The Metaobjects. The Clos Mop Hence correctly use that functionality. To implement **persistence**, references to persistent objects must be to implement a persistent object library so that **persistence** can be selected with only a simple edit to the [www.masuda.is.s.u-tokyo.ac.jp/publications/chiba-oopsla95.ps.gz](http://www.masuda.is.s.u-tokyo.ac.jp/publications/chiba-oopsla95.ps.gz)

[JavaSpaces Specification - Microsystems \(1999\) \(Correct\) \(38 citations\)](#)

The JavaTM programming language has a remote **method invocation** system called RMI[2] that lets you approach technologypackageprovides a distributed **persistence** and object exchange mechanism for code written let the JavaSpaces system implement distributed **persistence** for you. JavaSpacesTM Specification Revision [www.sun.com/jini/specs/js.pdf](http://www.sun.com/jini/specs/js.pdf)

[Real-Time CORBA - Wolfe, DiPippo, Johnston, Ginis.. \(1997\) \(Correct\) \(34 citations\)](#)

Cwith additional constructs to support the **method invocation** mechanism. Most common intrinsic Ctypes destruction of objects in the CORBA system. **Persistence**. This service allows making objects persistent [homepage.cs.uri.edu/research/rtorac/pubs/rtas97.pdf](http://homepage.cs.uri.edu/research/rtorac/pubs/rtas97.pdf)

[Lightweight Shared Objects in a 64-Bit Operating System - Chase, Levy, Lazowska.. \(1992\) \(Correct\) \(29 citations\)](#)

Because objects are abstract, object **method invocation** is syntactically and semantically Our basic thesis is that object sharing, object **persistence**, and capability-based service protection can stated, the properties of object sharing and **persistence** derive directly from Opal's shared and [www.ee.umd.edu/courses/enee647/papers/chase92.ps](http://www.ee.umd.edu/courses/enee647/papers/chase92.ps)

[BIT: A Tool for Instrumenting Java Bytecodes - Lee, Zorn \(1997\) \(Correct\) \(20 citations\)](#)

profiling information, which includes the **method invocation** sequence and the size of objects allocated, and the work by Cattell [23] to make classes **persistence**-capable. However, the inner workings of these and Antony L. Hosking. Approaches to Adding **Persistence** to Java. First International Workshop on [www.cs.colorado.edu/~hanlee/USITS97/USITS97.ps](http://www.cs.colorado.edu/~hanlee/USITS97/USITS97.ps)

[ECA Rule Integration into an OODBMS: Architecture.. - Chakravarthy.. \(1994\) \(Correct\) \(19 citations\)](#)

we permit before- and after-variants of **method invocation** as events. Composite events are formed by Manager Transaction Manager Manager Name Manager **Persistence** Local Composite Event Detector Rule Debugger [ftp.cis.ufl.edu/cis/tech-reports/tr94/tr94-023.ps](http://ftp.cis.ufl.edu/cis/tech-reports/tr94/tr94-023.ps)

[Operating System Services for Wide-Area Applications - Vahdat \(1998\) \(Correct\) \(16 citations\)](#)

.46 3.4 Sample name evaluation and after-**method invocation**. 48 3.5 Performance resources, ii) combining communication and **persistence** in a locationindependent file system with the value of combining communication and **persistence** in a locationindependent persistent storage [cag.lcs.mit.edu/pub/dm/papers/vahdat:webfs-phd.ps.gz](http://cag.lcs.mit.edu/pub/dm/papers/vahdat:webfs-phd.ps.gz)

[Inter-Domain Management between CORBA and SNMP: WEB-based.. - Mazumdar \(1996\) \(Correct\) \(15 citations\)](#)

of the gateway is to dynamically convert the **method invocations** on object references in CORBA domain to for life-cycle, naming, event distribution, **persistence**, etc. The main benefits of the ORB-based [www.bell-labs.com/user/mazum/papers/XoJIDM/CORBASnmpExt.pdf](http://www.bell-labs.com/user/mazum/papers/XoJIDM/CORBASnmpExt.pdf)

[CHARM++ : A Portable Concurrent Object Oriented System Based.. - Laxmikant Kale \(Correct\) \(14 citations\)](#)

Mentat, however, overloads constructs for **method invocation** and message sending, which makes the cost choice for many reasons. The notion of state and **persistenc** , which is one of the central features of [nscp.upenn.edu/parallel/environments/charm/papers/Charm++\\_OOPSLA93.ps.gz](http://nscp.upenn.edu/parallel/environments/charm/papers/Charm++_OOPSLA93.ps.gz)

[Approaches to Adding Persistence to Java - Moss, Hosking \(1996\) \(Correct\) \(11 citations\)](#)

objects, i.e.for operations such as **method invocation**, field access, parameter passing, etc. By

Approaches to Adding **Persistence** to Java Position Paper for the First

Paper for the First International Workshop on **Persistence** and Java Drymen, Scotland, September 1996 J. [research.sun.com/research/forest/UK.Ac.Gla.Dcs.PJW1.Eliot\\_Moss2\\_ps.ps](http://research.sun.com/research/forest/UK.Ac.Gla.Dcs.PJW1.Eliot_Moss2_ps.ps)

Persistence in the Spring System - Sanjay Radia (1993) (Correct) (11 citations)

generally designed so as to quickly forward a **method invocation** to the server implementing the object. If **Persistence in the Spring System** Sanjay Radia, Peter persistent name-to-object bindings to support **persistence**. The name service is separate from the various [suncom.bilkent.edu.tr/tech/projects/spring/papers/persistence.ps](http://suncom.bilkent.edu.tr/tech/projects/spring/papers/persistence.ps)

Expressing and Enforcing Timing Constraints in a... - Wolfe, DiPippo.. (1997) (Correct) (10 citations)

system is support for Timed Distributed **Method Invocations** (TDMIs) A TDMI is a client's request to a that makes the call. Similarly, the End RT **Invocation method** call, recalculates a transient priority Object Services :naming, events, life cycle, **persistence**, transactions, concurrency, ncurrency, 39 [counter.cs.umd.edu/~rich/courses/cmsc818G-s98/papers/corba\\_vic97.ps](http://counter.cs.umd.edu/~rich/courses/cmsc818G-s98/papers/corba_vic97.ps)

Orthogonal Persistence for Java — A Mid-term Report - Mick Jordan Sun (1998) (Correct) (9 citations)

marshalling protocol for the Java Remote **Method Invocation** framework [29]3 **Persistence and Orthogonal Persistence for Java** -A Mid-term Report Mick Jordan of applying the principles of orthogonal **persistence** to the Java programming language is described [www.sunlabs.com/research/forest/COM.Sun.Labs.Forest.doc.opjmidterm.paper\\_ps.ps](http://www.sunlabs.com/research/forest/COM.Sun.Labs.Forest.doc.opjmidterm.paper_ps.ps)

Orthogonal Persistence for Java - A Mid-term Report - Jordan, Atkinson (1998) (Correct) (9 citations)

marshalling protocol for the Java Remote **Method Invocation** framework [27]3 **Persistence and Orthogonal Persistence for Java** A Mid-term Report Mick Jordan of applying the principles of orthogonal **persistence** to the Java programming language is described [www.sunlabs.com/research/forest/com.sun.labs.pjw3.16\\_ps.ps](http://www.sunlabs.com/research/forest/com.sun.labs.pjw3.16_ps.ps)

Implementing Distribution and Persistence Aspects with AspectJ - Soares, Laureano, Borba (2002) (Correct) (8 citations)

to system services using Java RMI (Remote **Method Invocation**) 18]The **persistence** aspects implement Implementing Distribution and **Persistence Aspects with AspectJ** Sergio Soares extension to Java, to implement distribution and **persistence** aspects in a web-based information system. [www.cin.ufpe.br/~phmb/papers/DistributionPersistenceAspectJOOPSLA2002.pdf](http://www.cin.ufpe.br/~phmb/papers/DistributionPersistenceAspectJOOPSLA2002.pdf)

The PANDA System Architecture - A Pico-Kernel Approach - Assenmacher, Breitbach.. (1993) (Correct) (8 citations)

an entity that visits objects, enters them by **method invocation**, and leaves them on return from the call. for dealing with parallelism, distribution, and **persistence** should be integrated into a programming issues of parallelism, distribution, and object **persistence**. These classes can be used directly for [ftp.uni-kl.de/pub/reports\\_uni-kl/computer\\_science/system\\_software/1993/papers/FTDS93.ps.gz](http://ftp.uni-kl.de/pub/reports_uni-kl/computer_science/system_software/1993/papers/FTDS93.ps.gz)

On Developing Reactive Object-Oriented Databases - Mikael Berndtsson University (1992) (Correct) (6 citations)

in the sense of ensuring that events based on **method invocation** are treated correctly with respect to supports ACOOD with basic mechanisms such as **persistence** and nested transaction. Hence, we were able to [www.ida.his.se/~spiff/.pdf/ieee-bde1992.pdf](http://www.ida.his.se/~spiff/.pdf/ieee-bde1992.pdf)

PJRM: Remote Method Invocation for a Persistent System - Spence (1999) (Correct) (6 citations)

PJRM: Remote **Method Invocation** for a Persistent System Susan Spence the issues raised by combining orthogonal **persistence** with distribution. An evaluation is made of has developed an implementation of orthogonal **persistence** for Java [3, 10]It supports **persistence** of [ftp.dcs.gla.ac.uk/pub/pjava/doa/doa99.ps.gz](http://ftp.dcs.gla.ac.uk/pub/pjava/doa/doa99.ps.gz)

First 20 documents [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)



US Patent &amp; Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+"method invocation" +persistence +queue



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used method invocation persistence queue

Found 53 of 148,162

Sort results by

relevance

[Save results to a Binder](#)[Try an Advanced Search](#)

Display results

condensed form

[Search Tips](#)[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 53

Result page: [1](#) [2](#) [3](#) [next](#)Relevance scale ☐ ☐ ☐ ☐ ☐1 [The many faces of publish/subscribe](#)

Patrick Th. Eugster, Pascal A. Felber, Rachid Guerraoui, Anne-Marie Kermarrec

June 2003 **ACM Computing Surveys (CSUR)**, Volume 35 Issue 2Full text available: [pdf\(456.46 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)2 [Workshop on compositional software architectures: workshop report](#)May 1998 **ACM SIGSOFT Software Engineering Notes**, Volume 23 Issue 3Full text available: [pdf\(2.91 MB\)](#)Additional Information: [full citation](#), [index terms](#)3 [Recovery guarantees for Internet applications](#)

Roger Barga, David Lomet, German Shegalov, Gerhard Weikum

August 2004 **ACM Transactions on Internet Technology (TOIT)**, Volume 4 Issue 3Full text available: [pdf\(997.52 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)4 [Web technologies and applications \(WTA\): Adaptive data dissemination and caching for edge service architectures built with the J2EE](#)

Erich Liebmann, Schahram Dustdar

March 2004 **Proceedings of the 2004 ACM symposium on Applied computing**Full text available: [pdf\(326.59 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)5 [The role of transaction management in CORBA/ODB integrated systems' performance](#)

Vahe Amirbekyan, Krzysztof Zieliński










March 2000 **Proceedings of the 2000 ACM symposium on Applied computing**Full text available: [pdf\(659.77 KB\)](#)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)6 [Predicting the performance of middleware-based applications at the design level](#)

Yan Liu, Alan Fekete, Ian Gorton

January 2004 **ACM SIGSOFT Software Engineering Notes , Proceedings of the fourth international workshop on Software and performance**, Volume 29 Issue 1Full text available: [pdf\(713.57 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#)7 [Experience reports: case studies: Fault-tolerance in a distributed management system: a case study](#)

Robert Smeikal, Karl M. Goeschka

May 2003 **Proceedings of the 25th International Conference on Software Engineering**Full text available: [pdf\(864.67 KB\)](#)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)[Publisher Site](#)

- 8 Strategies for integrating messaging and distributed object transactions  
Stefan Tai, Isabelle Rouvellou  
April 2000 **IFIP/ACM International Conference on Distributed systems platforms**  
Full text available:  [pdf\(460.54 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)
- 9 Rover: a toolkit for mobile information access  
A. D. Joseph, A. F. de Lespinasse, J. A. Tauber, D. K. Gifford, M. F. Kaashoek  
December 1995 **ACM SIGOPS Operating Systems Review , Proceedings of the fifteenth ACM symposium on Operating systems principles**, Volume 29 Issue 5  
Full text available:  [pdf\(2.18 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
- 10 Zones, contracts and absorbing changes: an approach to software evolution  
Huw Evans, Peter Dickman  
October 1999 **ACM SIGPLAN Notices , Proceedings of the 14th ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications**, Volume 34 Issue 10  
Full text available:  [pdf\(2.46 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
- 11 The design and implementation of K: a high-level knowledge-base programming language of OSAM\*.KBMS  
Yuh-Ming Shyy, Javier Arroyo, Stanley Y.W. Su, Herman Lam  
August 1996 **The VLDB Journal – The International Journal on Very Large Data Bases**, Volume 5 Issue 3  
Full text available:  [pdf\(187.89 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)
- 12 Early performance testing of distributed software applications  
Giovanni Denaro, Andrea Polini, Wolfgang Emmerich  
January 2004 **ACM SIGSOFT Software Engineering Notes , Proceedings of the fourth international workshop on Software and performance**, Volume 29 Issue 1  
Full text available:  [pdf\(1.18 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)
- 13 Frameworks for component-based client/server computing  
Scott M. Lewandowski  
March 1998 **ACM Computing Surveys (CSUR)**, Volume 30 Issue 1  
Full text available:  [pdf\(243.81 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
- 14 Fast detection of communication patterns in distributed executions  
Thomas Kunz, Michiel F. H. Seuren  
November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research**  
Full text available:  [pdf\(4.21 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)
- 15 Component-based simulation environments: JSIM as a case study using Java beans  
John A. Miller, Youngfu Ge, Junxin Tao  
December 1998 **Proceedings of the 30th conference on Winter simulation**  
Full text available:  [pdf\(107.90 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
- 16 Software engineering and middleware: a roadmap  
Wolfgang Emmerich  
May 2000 **Proceedings of the Conference on The Future of Software Engineering**  
Full text available:  [pdf\(1.34 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
- 17 Java resources for computer science instruction  
Joseph Bergin, Thomas L. Naps, Constance G. Bland, Stephen J. Hartley, Mark A. Holliday, Pamela B. Lawhead, John Lewis, Myles F. McNally, Christopher H. Nevison, Cheng Ng, George J. Pothering, Tommi Teräsvirta

December 1998 **Working Group reports of the 3rd annual SIGCSE/SIGCUE ITiCSE conference on Integrating technology into computer science education**

Full text available:  pdf(107.98 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

18 Java resources for computer science instruction

Joseph Bergin, Thomas L. Naps, Constance G. Bland, Stephen J. Hartley, Mark A. Holliday, Pamela B. Lawhead, John Lewis, Myles F. McNally, Christopher H. Nevison, Cheng Ng, George J. Pothering, Tommi Teräsvirta

December 1998 **ACM SIGCSE Bulletin**, Volume 30 Issue 4

Full text available:  pdf(2.29 MB) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

19 Java resources for computer science instruction

Joseph Bergin, Thomas L. Naps, Constance G. Bland, Stephen J. Hartley, Mark A. Holliday, Pamela B. Lawhead, John Lewis, Myles F. McNally, Christopher H. Nevison, Cheng Ng, George J. Pothering, Tommi Teräsvirta


October 1998 **ACM SIGCUE Outlook**, Volume 26 Issue 4

Full text available:  pdf(2.23 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

20 Measuring the performance of communication middleware on high-speed networks

Aniruddha Gokhale, Douglas C. Schmidt

August 1996 **ACM SIGCOMM Computer Communication Review , Conference proceedings on Applications, technologies, architectures, and protocols for computer communications**, Volume 26 Issue 4

Full text available:  pdf(270.13 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Results 1 - 20 of 53

Result page: [1](#) [2](#) [3](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)